




Round Aluminum Rod

6061-T6511
12' Length




| Product # | Size / Inches | | | Wt. Lin. Ft. |
|------------|---------------|---------|---|-----------------|
| | A | B | C | |
| Mill Order | | 1/8 | | .015 |
| Mill Order | | 3/16 | | .032 |
| Mill Order | | 7/32 | | .044 |
| Mill Order | | 1/4 | | .059 |
| Mill Order | | 5/16 | | .090 |
| Mill Order | | 3/8 | | .133 |
| Mill Order | | 7/16 | | .178 |
| 10510 | | 1/2 | | .235 |
| Mill Order | | 9/16 | | .292 |
| 10515 | | 5/8 | | .368 |
| 10520 | | 3/4 | | .530 |
| 10525 | | 7/8 | | .716 |
| 10530 | | 1 | | .943 |
| Mill Order | | 1 1/8 | | 1.169 |
| 10535 | | 1 1/4 | | 1.472 |
| Mill Order | | 1 5/16 | | 1.690 |
| Mill Order | | 1 3/8 | | 1.745 |
| Mill Order | | 1 7/16 | | 1.925 |
| 10540 | | 1 1/2 | | 2.110 |
| Mill Order | | 1 5/8 | | 2.444 |
| 10545 | | 1 3/4 | | 2.826 |
| Mill Order | | 1 13/16 | | 3.042 |
| Mill Order | | 1 7/8 | | 3.244 |
| 10550 | | 2 | | 3.691 |
| 10552 | | 2 1/8 | | 4.166 |
| 10555 | | 2 1/4 | | 4.771 |
| 10560 | | 2 1/2 | | 5.733 |
| Mill Order | | 2 5/8 | | 6.358 |
| 10565 | | 2 3/4 | | 6.978 |
| 10570 | | 3 | | 8.304 |
| Mill Order | | 3 1/4 | | 9.746 |
| Mill Order | | 3 1/2 | | 11.303 |
| Mill Order | | 3 5/8 | | 12.140 |
| Mill Order | | 3 3/4 | | 12.975 |
| Mill Order | | 4 | | 14.763 |
| Mill Order | | 4 1/4 | | 16.765 |

| Product # | Size / Inches | | | Wt. Lin. Ft. |
|------------|---------------|-------|---|-----------------|
| | A | B | C | |
| Mill Order | | 4 1/2 | | 18.694 |
| Mill Order | | 5 | | 23.067 |
| Mill Order | | 5 1/2 | | 27.998 |
| Mill Order | | 6 | | 33.219 |
| Mill Order | | 6 1/2 | | 38.988 |
| Mill Order | | 7 | | 45.214 |
| Mill Order | | 7 1/2 | | 51.961 |
| Mill Order | | 8 | | 59.091 |

Round Aluminum Rod

6063-T52
20' Length




| Product # | Size / Inches | | | Wt. Lin. Ft. |
|------------|---------------|-----------|---|-----------------|
| | A | B | C | |
| 10403 | | 1/4 (12') | | .059 |
| Mill Order | | 5/16 | | .090 |
| 10415 | | 3/8 | | .133 |
| 10420 | | 1/2 | | .235 |
| 10426 | | 5/8 | | .368 |
| 10430 | | 3/4 | | .530 |
| Mill Order | | 7/8 | | .722 |
| 10435 | | 1 | | .942 |
| Mill Order | | 1 1/4 | | 1.443 |
| Mill Order | | 1 1/2 | | 2.077 |
| Mill Order | | 3 | | 8.484 |

*Mill Order - Call for current availability
Custom lengths available*



Flat Aluminum Bar
6061-T6511
12' Length




| Product # | Size / Inches | | Wt. Lin. Ft. | Product # | Size / Inches | | Wt. Lin. Ft. |
|------------|---------------|-------|-----------------|--|---------------|-------|-----------------|
| | A | B | | | A | B | |
| Mill Order | 1/8 | 1/2 | .078 | 10760 | 3/8 | 6 | 2.645 |
| Mill Order | 1/8 | 5/8 | .092 | 10762 | 3/8 | 8 | 3.528 |
| Mill Order | 1/8 | 3/4 | .113 | 10763 | 3/8 | 10 | 4.410 |
| 10703 | 1/8 | 1 | .150 | 10764 | 3/8 | 12 | 5.292 |
| Mill Order | 1/8 | 1 1/4 | .188 | Mill Order | 1/2 | 3/4 | .450 |
| 10705 | 1/8 | 1 1/2 | .225 | 10765 | 1/2 | 1 | .600 |
| 10706 | 1/8 | 2 | .300 | Mill Order | 1/2 | 1 1/4 | .734 |
| Mill Order | 3/16 | 1/2 | .113 | 10767 | 1/2 | 1 1/2 | .900 |
| 10708 | 3/16 | 1 | .226 | Mill Order | 1/2 | 1 3/4 | 1.028 |
| Mill Order | 3/16 | 1 1/4 | .275 | 10770 | 1/2 | 2 | 1.200 |
| Mill Order | 3/16 | 1 1/2 | .338 | 10772 | 1/2 | 2 1/2 | 1.500 |
| 10710 | 3/16 | 2 | .451 | 10774 | 1/2 | 3 | 1.800 |
| Mill Order | 3/16 | 2 1/2 | .451 | 10776 | 1/2 | 3 1/2 | 2.100 |
| 10713 | 3/16 | 3 | .676 | 10778 | 1/2 | 4 | 2.400 |
| 10715 | 3/16 | 4 | .901 | 10780 | 1/2 | 5 | 2.940 |
| 10718 | 1/4 | 1/2 | .150 | 10782 | 1/2 | 6 | 3.600 |
| 10720 | 1/4 | 3/4 | .226 | 10785 | 1/2 | 8 | 4.704 |
| 10722 | 1/4 | 1 | .300 | 10784 | 1/2 | 10 | 5.880 |
| 10725 | 1/4 | 1 1/4 | .376 | 10786 | 1/2 | 12 | 7.056 |
| 10726 | 1/4 | 1 1/2 | .450 | Mill Order | 5/8 | 4 | 2.940 |
| 10727 | 1/4 | 1 3/4 | .524 | 10787 | 5/8 | 6 | 4.398 |
| 10728 | 1/4 | 2 | .600 | Mill Order | 3/4 | 1 | .881 |
| 10729 | 1/4 | 2 1/4 | .675 | Mill Order | 3/4 | 1 1/4 | 1.101 |
| 10730 | 1/4 | 2 1/2 | .735 | Mill Order | 3/4 | 1 1/2 | 1.350 |
| 10732 | 1/4 | 3 | .900 | 10788 | 3/4 | 2 | 1.800 |
| 10733 | 1/4 | 3 1/2 | 1.029 | 10790 | 3/4 | 3 | 2.640 |
| 10735 | 1/4 | 4 | 1.200 | Mill Order | 3/4 | 4 | 3.528 |
| 10738 | 1/4 | 5 | 1.500 | 10793 | 3/4 | 6 | 5.292 |
| 10740 | 1/4 | 6 | 1.800 | Mill Order | 3/4 | 10 | 9.080 |
| 10742 | 1/4 | 8 | 2.352 | 10794 | 3/4 | 12 | 10.584 |
| 10741 | 1/4 | 10 | 2.940 | Mill Order | 1 | 1 1/4 | 1.469 |
| 10743 | 1/4 | 12 | 3.528 | Mill Order | 1 | 1 1/2 | 1.800 |
| Mill Order | 3/8 | 1/2 | .220 | Mill Order | 1 | 2 | 2.350 |
| Mill Order | 3/8 | 3/4 | .330 | Mill Order | 1 | 2 1/2 | 2.937 |
| 10745 | 3/8 | 1 | .450 | Mill Order | 1 | 3 | 3.528 |
| Mill Order | 3/8 | 1 1/4 | .563 | Mill Order | 1 | 3 1/2 | 4.200 |
| 10747 | 3/8 | 1 1/2 | .675 | 10798 | 1 | 4 | 4.800 |
| 10750 | 3/8 | 2 | .900 | Mill Order | 1 | 6 | 7.200 |
| 10753 | 3/8 | 2 1/2 | 1.126 | Mill Order | 1 | 12 | 14.400 |
| 10755 | 3/8 | 3 | 1.350 | 10805 | 1 1/2 | 2 1/2 | 4.410 |
| 10757 | 3/8 | 4 | 1.800 | <i>Mill Order - Call for current availability • Custom lengths available</i> | | | |
| 10758 | 3/8 | 5 | 2.205 | | | | |



Flat Aluminum Bar


6063-T52

20' Length



| Product # | Size / Inches | | Wt. Lin. Ft. | Product # | Size / Inches | | Wt. Lin. Ft. |
|------------|---------------|--------------|-----------------|------------|---------------|-------|-----------------|
| | A | B | | | A | B | |
| 10605 | 1/8 | 1/2 | .078 | Mill Order | 1/4 | 1 3/4 | .524 |
| Mill Order | 1/8 | 5/8 | .092 | 10680 | 1/4 | 2 | .600 |
| 10610 | 1/8 | 3/4 | .113 | Mill Order | 1/4 | 2 1/2 | .734 |
| 10615 | 1/8 | 1 | .150 | 10685 | 1/4 | 3 | .900 |
| Mill Order | 1/8 | 1 1/4 | .188 | 10688 | 1/4 | 4 | 1.200 |
| 10625 | 1/8 | 1 1/2 | .225 | Mill Order | 1/4 | 6 | 1.800 |
| Mill Order | 1/8 | 1 3/4 | .263 | Mill Order | 3/8 | 1/2 | .225 |
| 10630 | 1/8 | 2 | .300 | Mill Order | 3/8 | 5/8 | .275 |
| 10635 | 1/8 | 3 | .450 | 10692 | 3/8 | 3/4 | .337 |
| 10640 | 1/8 | 4 | .600 | 10689 | 3/8 | 1 | .450 |
| 10641 | 1/8 | 6 | .900 | 10691 | 3/8 | 1 1/4 | .563 |
| 10642 | 3/16 | 1/2 | .113 | 10690 | 3/8 | 1 1/2 | .675 |
| 10643 | 3/16 | 3/4 (Radius) | .169 | 10693 | 3/8 | 2 | .900 |
| 10644 | 3/16 | 3/4 | .169 | 10695 | 3/8 | 3 | 1.350 |
| 10645 | 3/16 | 1 (Radius) | .226 | 10697 | 3/8 | 4 | 1.800 |
| 10646 | 3/16 | 1 | .226 | 10698 | 1/2 | 3/4 | .450 |
| 10650 | 3/16 | 1 1/4 | .283 | 10699 | 1/2 | 1 | .600 |
| 10655 | 3/16 | 1 1/2 | .338 | Mill Order | 1/2 | 1 1/4 | .734 |
| 10657 | 3/16 | 1 3/4 | .395 | Mill Order | 1/2 | 1 1/2 | .900 |
| 10660 | 3/16 | 2 | .451 | 10696 | 1/2 | 2 | 1.200 |
| Mill Order | 3/16 | 2 1/2 | .551 | Mill Order | 1/2 | 2 1/2 | 1.500 |
| Mill Order | 3/16 | 3 | .677 | Mill Order | 1/2 | 3 | 1.800 |
| Mill Order | 3/16 | 4 | .902 | Mill Order | 1/2 | 4 | 2.400 |
| Mill Order | 1/4 | 1/2 | .150 | Mill Order | 3/4 | 1 1/2 | 1.350 |
| Mill Order | 1/4 | 5/8 | .184 | Mill Order | 3/4 | 2 | 1.800 |
| 10665 | 1/4 | 3/4 | .226 | Mill Order | 1 | 1 1/2 | 1.500 |
| 10670 | 1/4 | 1 | .300 | | | | |
| Mill Order | 1/4 | 1 1/4 | .376 | | | | |
| 10675 | 1/4 | 1 1/2 | .450 | | | | |

*Mill Order - Call for current availability
Custom lengths available*



Square Aluminum Bar

6061-T6511


12' Length

| Product # | Size / Inches A | Wt. Linear Foot |
|------------|--------------------|--------------------|
| Mill Order | 3/8 | .169 |
| 10860 | 1/2 | .300 |
| 10865 | 5/8 | .459 |
| 10870 | 3/4 | .674 |
| 10875 | 1 | 1.200 |
| Mill Order | 1 1/4 | 1.888 |
| Mill Order | 1 1/2 | 2.745 |
| Mill Order | 1 3/4 | 3.598 |
| Mill Order | 2 | 4.699 |
| Mill Order | 2 1/4 | 5.947 |
| Mill Order | 2 1/2 | 7.343 |
| Mill Order | 3 | 10.584 |
| Mill Order | 3 | 10.573 |
| Mill Order | 3 1/4 | 12.409 |
| Mill Order | 3 1/2 | 14.396 |
| Mill Order | 4 | 18.797 |

Square Aluminum Bar

6063-T52

20' Length




| Product # | Size / Inches A | Wt. Linear Foot |
|------------|--------------------|--------------------|
| Mill Order | 1/4 | .073 |
| Mill Order | 3/8 | .169 |
| 10810 | 1/2 | .300 |
| 10820 | 5/8 | .468 |
| 10825 | 3/4 | .674 |
| Mill Order | 1 | 1.175 |
| Mill Order | 1 1/4 | 1.875 |
| Mill Order | 1 1/2 | 2.745 |

Mill Order - Call for current availability • Custom lengths available




Structural Aluminum Zees

6061-T6
25' Length



| Product # | Size / Inches | | | Wt. Lin. Ft. |
|------------|---------------|---------|------|-----------------|
| | A | B | C | |
| 10940 | 1 3/4 | 1 3/4 | 3/16 | 1.104 |
| 10951 | 3 | 2 11/16 | 1/4 | 2.381 |
| Mill Order | 3 | 2 11/16 | 3/8 | 3.381 |
| Mill Order | 4 | 3 1/16 | 1/4 | 2.848 |
| Mill Order | 4 1/16 | 3 1/8 | 5/16 | 3.575 |
| Mill Order | 4 1/8 | 3 3/16 | 3/8 | 4.318 |
| Mill Order | 5 1/16 | 3 5/16 | 3/8 | 4.844 |
| Mill Order | 5 | 3 1/4 | 1/2 | 6.295 |




Architectural Aluminum Tees

6063-T5
20' Length

| Product # | Size / Inches | | | Wt. Lin. Ft. |
|------------|---------------|-----|-----|-----------------|
| | A | B | C | |
| Mill Order | 3/4 | 3/4 | 1/8 | .206 |
| Mill Order | 7/8 | 1/4 | 1/8 | .300 |
| Mill Order | 1 | 3/4 | 1/8 | .244 |
| 10925 | 1 | 1 | 1/8 | .280 |
| Mill Order | 1 1/4 | 7/8 | 1/8 | .300 |
| Mill Order | 2 | 3/4 | 1/8 | .394 |

Structural Aluminum Tees

6061-T6
25' Length



| Product # | Size / Inches | | | Wt. Lin. Ft. |
|------------|---------------|-------|------|-----------------|
| | A | B | C | |
| Mill Order | 1 | 1 | 1/8 | .313 |
| 10900 | 1 1/2 | 1 1/2 | 3/16 | .700 |
| Mill Order | 1 1/2 | 1 1/2 | 1/4 | .869 |
| 10905 | 2 | 2 | 1/4 | 1.260 |
| Mill Order | 2 1/4 | 2 1/4 | 1/4 | 1.421 |
| Mill Order | 2 1/2 | 2 1/2 | 5/16 | 1.912 |
| Mill Order | 3 | 2 1/2 | 5/16 | 2.129 |
| Mill Order | 3 1/2 | 3 1/2 | 3/8 | 3.336 |
| Mill Order | 4 | 3 | 3/8 | 3.220 |

Mill Order - Call for current availability • Custom lengths available